Print

Purchasing Receipts

Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada Tel (613) 632-5200

Supplier Name	\$10.37 McMaster- Carr Supply Co,	\$14.17 McMaster- Carr Supply Co,	\$33.60 McMaster- Carr Supply Co,	\$222.96 McMaster- Carr Supply Co,	\$317.16 McMaster- Carr Supply Co,	\$203.70 McMaster- Carr Supply Co,	\$65.20 McMaster- Carr Supply Co,	\$8.48 McMaster- Carr Supply Co,	
Total	\$10.37 Me	\$14.17 MG	\$33.60 M	222.96 M	317.16 Q Q	203.70 M	\$65.20 M	\$8.48 M	\$875.64
				₩	69	67			88
ng Pa	0	0	0	0	0	0	0	0	\forall
t Agi						m			Н
Status Receive Price/Unit Aging Past Date	\$ 0.10 / Ea	6/13/2018 \$ 0.14 / Ea	\$1.12/Ea	\$ 13.94 / ft	6/13/2018 \$ 79.29 / ft	6/13/2018 \$ 20.37 / Ea	Stock 6/13/2018 \$8.15 / Ea	6/13/2018 \$ 0.34 / Ea	
Receive Date	6/13/2018	6/13/2018	6/13/2018	6/13/2018	6/13/2018	6/13/2018	6/13/2018		
Status	Stock	Stock	Stock	Stock	Stock	Stock	Stock	Stock	
Container No	S080839	\$080840	S080841	S080842	\$080843	S080844	S080845	\$080846	
Received Accounting Container Quantity Job No No									
Received Quantity	100	100	30	16	4	10	80	25	293
Due Date	100 6/15/2018								
Order	100		30	16	4	10	80	25	293
Equipment Order ID Qty									Total:
Project									
For No								77	
Description Part Project No	Cap		Latch Return Spring	Polyurethane Rod 3/4 DIA. 80A (HARD)	M-Delrin Round Bar, White	Quick-Release Pin	Handle 1-1/2""	Dowel Pin Rnd 1/8" X 1 1/2"	
Purchased Item	1277K32	1277K126	C10-9-6	8695K715	MDELRINR4.000W M-Delrin Round Bi White	90985A129	65115K41	98381A478	
Terms	1 2% 10 Net 30			-					
Rel							7	80	
Line Item No	-	2	m	4	3	9			
PO No Supplier Item	MCM001- VU								
PO No	PO040146 MCM001-								

Plex 6/13/2018 11:39 AM dart. Tollis. Andrew

4 74



Packing List

200 Aurora Industrial Pkwy Aurora OH 44202-8087 330-995-5500 cle.sales@mcmaster.com Dart Aerospace Ltd 1270 Aberdeen St Hawkesbury ON K6A 1K7 Canada Purchase Order PO040146

Order Placed By Chantal Lavoie

McMaster-Carr Number 4730764-01

Page 1 of 1 06/11/2018

Line	9	Product	1	Ordered	Shipped
1	1277K32	Plastic Round Caps, 1 1/16"-12 Thread Size, Page 1	cks of 100	1 Pack	(1)
2	1277K126	Plastic Round Caps, 1-5/16"-12 Thread Size, Page 10-10-12	cks of 100	1 Pack	1
3	9654K193	Steel Extension Spring, Loop Ends, Zinc-Plated, Packs of 3	Tempered, 4.79" Extended Length,	10 Packs	(10)
6	90985A129	Knob-Grip Push-Button Quick-Release Pin, 1/4"	Diameter, 1-3/4" Usable Length	10 Each	10
7	65115K41	Aluminum Handle with 1-1/2" Diameter Machinab	ole Solid Hub	8 Each	(8)
8	98381A478	Dowel Pin, Alloy Steel, 1/8" Diameter, 1-1/2" Lon	g, Packs of 25	1 Pack	



Packing List

200 Aurora Industrial Pkwy Aurora OH 44202-8087 330-995-5500 cle.sales@mcmaster.com Dart Aerospace Ltd 1270 Aberdeen St Hawkesbury ON K6A 1K7 Canada Purchase Order PO040146

Order Placed By Chantal Lavoie

McMaster-Carr Number 4730764-02

Page 1 of 1 06/11/2018

		4700704-02		
Lin	e	Product	Ordered	Shipped
4	8695K715	Abrasion-Resistant Polyurethane Rubber Rod, 48" Long, 3/4" Diameter, 80A Durometer	4 Each	4
5	8572K36	White Delrin Acetal Resin Rod, 4" Diameter, 4' Length	4 Feet	4

McMASTER-CARR.

Abrasion-Resistant Polyurethane Rubber Rod 48" Long, 3/4" Diameter

\$55.74 Each 8695K475



Shape Rod Polyurethane Material Texture Diameter -0.025" to +0.025" Diameter Tolerance Length 48" Length Tolerance -0.25" to +0.25" For Use Outdoors Temperature Range -20° to 200° F Tensile Strength 6,350 psi Color Black Durometer 80A (Hard) **Durometer Tolerance** -5 to +5 RoHS Compliant

Stronger than natural rubber, these polyurethane rods combine the shock-absorbing qualities of rubber with the tear resistance of plastic. Use them to seal narrow spaces such as channels.



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

PURCHASE ORDER PO040146

Tel (613) 632-5200

Supplier:

MCM001-VU

McMaster-Carr Supply Co,

P.O. Box 7690

Chicago, IL 60680-7690 USA

Phone: 330 995 5500

Fax: 330 995 9600

PO No:

PO040146

PO Date:

6/8/18

Due Date:

6/12/18

Purchase Order

Revision:

Revision Date:

JUN 1 1 2018

Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada

Phone: 613-632-5200

Via:

Ground

Pymt Terms:

2% 10 Net 30

Freight Terms:

Special Comments:

				items						
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	1277K32	100/pk	Сар	Firmed	6/12/18	100 Ea	100 X	100 Ea	\$0.1037/Ea	\$10.37
2 -	1277K126	100/pk	Сар	Firmed	6/12/18	100 Ea	0 Ea	100 Ea	\$0.1417/Ea	\$14.17
3	C10-9-6	9654K193 3/pk	Latch Return Spring	Firmed	6/12/18	30 Ea	30x	30 Ea	\$1.12/Ea	\$33.60
Line Item No	te 10 pk of 3 pcs	1		-	1		L			
4	8695K715	4'/ lenght	Polyurethane Rod 3/4 DIA. 80A (HARD)	Firmed	6/12/18	16 ft	0 ft	16 ft	\$13.935/ft	\$222.96
Line Item No	te 4 pcs of 4 ft		1	1	-					
5	MDELRINR4.000W	8572K36	M-Delrin Round Bar, White	Firmed	6/12/18	4 ft	450 ft	4 ft	\$19.8225/ft	\$79.29
6	90985A129		Quick-Release Pin	Firmed	6/12/18	10 Ea	0 Ea	10 Ea	\$20.37/Ea	\$203.70
7	65115K41		Handle 1-1/2"	Firmed	6/12/18	8 Ea	Ryo Ea	8 Ea	\$8.15/Ea	\$65.20
8 1	98381A478	25/pk	Dowel Pin Rnd 1/8" X 1 1/2"	Firmed	6/12/18	25 Ea	28 Ea	25 Ea	\$0.3392/Ea	\$8.48
								(Grand Total:	\$637.77

Order Notes

rec'd A18/00/13



Order Notes

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 DOCUMENT SPECIAL REQUIREMENTS

A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 6/11/18 2:12 PM dart.lavoie.chantal

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MOE DATE:		3 2	<u>)</u> w	PO/BATCH NO.: 040146 /Se					
MATERIAL CERT REC'D: QUANTITY RECEIVED: QUANTITY INSPECTED: QUANTITY REJECTED:	1/e	5		_	THICK SHEE	KNESS ORDE KNESS RECE T SIZE ORDE T SIZE RECE	RED:		
DESCRIPTION	(Ch	CR neck (N)				COMMEN	TS		
SURFACE DAMAGE	Y	(N							
CORRECT FINISH	Y	N							
CORROSION	Y	N							
CORRECT GRAIN DIRECTION	M	M		A 1			1	4	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	whit.	0.1101	nin)	Aces	he Roci	1182-04	
CORRECT THICKNESS	Y	N			1.0	711-1	0 101	V1.097	
PHOTO REQUIRED	Y	(N)							
CORRECT REF # TO LINK CERT	(X)	N	POIL	24114	6	Parts	+2577	236	
CORRECT MATERIAL IDENTFICATION	(Y)	N	10 15	21011		100/+	POSIL	000	
CORRECT M# ON THE MATERIAL	N	N							
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Υ	R							
DOES THIS REQUIRE AN EXTRUSION REPORT	Υ	3							
CUT SAMPLE PIÈCE						A HARDNE	SS CHECK.		
	F			ULTS BEL	_OW				
TVDE OF MATERIAL		-	HRC	HRB		DUR A	DUR D	WEBSTER	
TYPE OF MATERIAL	ļ								
SIZE OF TEST SAMPLE									
HARDNESS / DUROMETER READIN	VG								

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: 11	SIGNED OFF BY:
DATE: 9-89 JUN 1 3 2018	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL:		PO/BATCH NO.: 040/96/50						
MATERIAL CERT REC'D: QUANTITY RECEIVED: QUANTITY INSPECTED: QUANTITY REJECTED:	THICKNESS ORDERED: 750 THICKNESS RECEIVED: 750 SHEET SIZE ORDERED: WA							
DESCRIPTION	(CI	CR neck (N)			COM	MENT	S	
SURFACE DAMAGE	Y	IN						
CORRECT FINISH	Y	N						
CORROSION	Y	(N)						
CORRECT GRAIN DIRECTION	Y	N		1				
CORRECT MATERIAL PER M-DRAWING	(Y)	N	34 R	od Pa	Lycreth	mil		
CORRECT THICKNESS	Y	N			19 41 0/4	della		
PHOTO REQUIRED	Sh	(N)						
CORRECT REF # TO LINK CERT	8	N	Hart	生101	74/196		Andt	E8/95125
CORRECT MATERIAL IDENTFICATION		N	, , ,	1	1110		101177	001-40
CORRECT M# ON THE MATERIAL	(N						
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	8						
DOES THIS REQUIRE AN EXTRUSION REPORT	Υ	2						
CUT SAMPLE PIECE	OF	MAT	TERIAL AN	ID PREFO	RM A HAR	DNES	S CHECK.	
	F	RECO	ORD RESU	JLTS BELC	WC			
TYPE OF MATERIAL			HRC	HRB	DUR	A	DUR D	WEBSTER
SIZE OF TEST SAMPLE								
ARDNESS / DUROMETER READIN	1G							
	te	sters	located in th	ne Quality Of	ffice			

QC 18 INSPECTION ENGINEERING SIGNOFF (if required)

INSPECTED BY:

DATE: 9-89 JUN 1 3 2022

DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

McMASTER-CARR.

White Delrin® Acetal Resin Rod

In stock \$79.70 pe 8572K36 Delrin® Material Acetal Plastic Cross Section Round Shape Construction Solid Texture Smooth Color White Clarity Opaque Diameter Diameter Tolerance +0.250" Tolerance Oversized Rating 1 ft., 2 ft. Length 3 ft. 4 ft., 5 ft. Rockwell Hardness M90 Hardness Hard Rating For Use No Outdoors Temperature -20" to Range 180° F Impact 1.00 Strength ft.-lbs./in. Impact Strength Good Rating Tensile 9,000 psi Strength Tensile Strength Good Rating

Specifications **ASTM** Met D6100, NSF/ANSI Standard 51 for Food Contact, NSF/ANSI Standard 61 for Drinking Water 0.051 Density lbs./cu. in. Coefficient of 0.20 Friction Dielectric 435 V/mil Strength Water 0.30% Absorption Coefficient of 8.5×10^{-5} Thermal in./in./°F Expansion RoHS Compliant

REV. B SHEET 1 OF 1 SCALE 17.10.19 01.11.12 DATE DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANDARA
DEAMING NO.
REI
THE
THE
TO DELRIN ROUND BAR
SHEET I
SK
TO DELRIN ROUND BAR
STANDARD STANDA SQ BY SAD UPDATE DRAWING TO CURRENT STANDARDS, ADD MATERIAL COLOR-WHITE: ADD REASON CIR-110. ADD ACETRON GP ACETAL" AS OPTION (REV. A1). SAD SAD RF RA HS CP 40 17.10.19 REV.
DESIGN
DRAWN
CHECKED
MFG. APPR.
APPROVED
DE APPR.
DATE
17 **GEVOARD** SPECIFICATION CONTROL DRAWING CHEASAN 2018 MAR 27 40 EN 18-697 WHERE D.DDD = DIAMETER IN INCHES /B X = COLOR CODE, "W" = WHITE, OMITTED = BLACK EG. 1" BLACK ROUND BAR = M-DELRIN-R1.000 2" WHITE ROUND BAR = M-DELRIN-R2.000W PURCHASE MATERIAL (DELRIN II 150E OR ACETRON GP ACETAL M-DELRIN-R D.DDD X OLOR B CODE PART NUMBER: ٥ O

۵

5

O